

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the present application:

1-29. (Canceled)

30. (Previously presented) A method comprising:

maintaining in a computer system a file system that includes a live filesystem accessible to users and a zombie filesystem not accessible to users;

in response to a request to delete at least a portion of a file stored in the live filesystem, moving blocks storing said portion of the file from the live filesystem to the zombie filesystem and deleting at least some of the blocks from the zombie filesystem before a scheduled consistency checkpoint of the file system;

recording said moving and deleting in a persistent memory; and

in response to a service interruption in the computer system, recovering the file system in the computer system by replaying said moving and deleting based on information stored in the persistent memory.

31. (Previously presented) The method of claim 30, wherein the zombie filesystem is a portion of the file system where files are not available to users in normal operation, but can still be manipulated by the file system as if the files were normal files.

32. (Previously presented) The method of claim 30 further comprising deleting rest of the blocks from the zombie filesystem after the scheduled consistency checkpoint of the file system and recording deleting the rest of the blocks in the persistent memory.

33. (Previously presented) The method of claim 30, wherein moving blocks storing said portion of the file from the live filesystem to the zombie filesystem comprises breaking links associating these blocks with the live filesystem and creating links associating these blocks with the zombie filesystem.

34. (Previously presented) The method of claim 30, wherein moving blocks storing said portion of the file from the live filesystem to the zombie filesystem comprises creating an evil twin file in the zombie filesystem and adding these blocks as part of the evil twin file.

35. (Previously presented) The method of claim 30, wherein recording said moving and deleting in a persistent memory comprises recording changes of the live filesystem and the zombie file space caused by said moving and deleting in the persistent memory.

36. (Previously presented) The method of claim 35, wherein replaying said moving and deleting based on information stored in the persistent memory comprises replaying the changes of the live filesystem and the zombie file space recorded in the persistent memory.

37. (Previously presented) The method of claim 30, wherein the request to delete at least a portion of a file stored in the live filesystem comprises a request to delete the file from the live filesystem or to truncate the file.

38. (Previously presented) The method of claim 30, wherein deleting a block from the zombie filesystem comprises returning the block as a free block to the file system.

39. (Previously presented) The method of claim 30 further comprising increasing the size of the zombie filesystem before moving the blocks.

40. (Previously presented) The method of claim 30, wherein the request to delete at least a portion of the file consumes extra long period of time.

41. (Previously presented) A method comprising:

maintaining in a computer system a file system that includes a live filesystem accessible to users and a zombie filesystem not accessible to users;

in response to a request to delete a file having attached data elements from the live filesystem, moving blocks storing the file and the attached data elements from the live filesystem to the zombie filesystem, and deleting at least some of the blocks from the zombie filesystem before a scheduled consistency checkpoint of the file system;

recording said moving and deleting in a persistent memory; and

in response to a service interruption in the computer system, recovering the file system in the computer system by replaying said moving and deleting based on information stored in the persistent memory.

42. (Previously presented) The method of claim 41, wherein the zombie filesystem is a portion of the file system where files are not available to users in normal operation, but can still be manipulated by the file system as if the files were normal files.

43. (Previously presented) The method of claim 41 further comprising deleting rest of the blocks from the zombie filesystem after the scheduled consistency checkpoint of the file system and recording deleting the rest of the blocks in the persistent memory.

44. (Currently amended) A machine-readable medium having instructions, which when executed by a processor in a machine, cause the machine to perform a method, the method comprising:

maintaining in a computer system a file system that includes a live filesystem accessible to users and a zombie filesystem not accessible to users;

in response to a request to delete a file from the live filesystem, moving blocks storing the file from the live filesystem to the zombie filesystem and deleting at least some of the blocks from the zombie filesystem before a scheduled consistency checkpoint of the file system;

recording said moving and deleting in a persistent memory; and

in response to a service interruption in the computer system, recovering the file system in the computer system by replaying said moving and deleting based on information stored in the persistent memory.

45. (Previously presented) The machine-readable medium of claim 44, wherein the method further comprises deleting rest of the blocks from the zombie filesystem after the scheduled consistency checkpoint of the file system and recording deleting the rest of the blocks in the persistent memory.

46. (Previously presented) The machine-readable medium of claim 44, wherein moving blocks storing the file from the live filesystem to the zombie filesystem comprises breaking links associating these blocks with the live filesystem and creating links associating these blocks with the zombie filesystem.

47. (Previously presented) The machine-readable medium of claim 44, wherein recording said moving and deleting in a persistent memory comprises recording changes of the live filesystem and the zombie file space caused by said moving and deleting in the persistent memory.

48. (Previously presented) The machine-readable medium of claim 44, wherein replaying said moving and deleting based on information stored in the persistent memory comprises replaying the changes of the live filesystem and the zombie file space recorded in the persistent memory.

49. (Currently amended) A machine-readable medium having instructions, which when executed by a processor in a machine, cause the machine to perform a method, the method comprising:

maintaining in a computer system a file system that includes a live filespace accessible to users and a zombie filespace not accessible to users;

in response to a request to truncate a file stored in the live filespace, moving blocks storing a portion of the file to be truncated from the live filespace to the zombie filespace and deleting at least some of the blocks from the zombie filespace before a scheduled consistency checkpoint of the file system;

recording changes of the live filespace and the zombie filespace caused by said moving and deleting in a persistent memory; and

in response to a service interruption in the computer system, recovering the file system in the computer system by replaying the changes of the live filespace and the zombie filespace recorded in the persistent memory.

50. (Previously presented) The machine-readable medium of claim 49, wherein moving blocks storing a portion of the file to be truncated from the live filespace to the zombie filespace comprises creating an evil twin file in the zombie filespace and adding these blocks as part of the evil twin file.

51. (Previously presented) The machine-readable medium of claim 49, wherein the method further comprises deleting rest of the blocks from the zombie filespace after the scheduled

consistency checkpoint of the file system and recording changes of the zombie filesystem caused by deleting the rest of the blocks in the persistent memory.

52. (Previously presented) The machine-readable medium of claim 49, wherein the method further comprises increasing the size of the zombie filesystem before moving the blocks.

53. (Previously presented) The machine-readable medium of claim 49, wherein the request to truncate the file consumes extra long period of time.

54. (Previously presented) A storage server comprising:

- a processor;

- a network interface through which to communicate with a client;

- a storage interface through which to access a plurality of mass storage devices on behalf of the client; and

- a memory coupled to the processor, the memory storing instructions which, when executed by the processor, cause the storage server to perform a process comprising:

- maintaining in a computer system a file system that includes a live filesystem accessible to the client and a zombie filesystem not accessible to the client;

- in response to a request to delete at least a portion of a file stored in the live filesystem, moving blocks storing said portion of the file from the live filesystem to the zombie filesystem and deleting at least some of the blocks from the zombie filesystem before a scheduled consistency checkpoint of the file system;

- recording said moving and deleting in a persistent memory; and

in response to a service interruption in the computer system, recovering the file system in the computer system by replaying said moving and deleting based on information stored in the persistent memory.

55. (Previously presented) The storage server of claim 54, wherein the process further comprises deleting rest of the blocks from the zombie filesystem after the scheduled consistency checkpoint of the file system and recording deleting the rest of the blocks in the persistent memory.

56. (Previously presented) The storage server of claim 54, wherein moving blocks storing said portion of the file from the live filesystem to the zombie filesystem comprises breaking links associating these blocks with the live filesystem and creating links associating these blocks with the zombie filesystem.

57. (Previously presented) The storage server of claim 54, wherein recording said moving and deleting in a persistent memory comprises recording changes of the live filesystem and the zombie file space caused by said moving and deleting in the persistent memory.

58. (Previously presented) The storage server of claim 57, wherein replaying said moving and deleting based on information stored in the persistent memory comprises replaying the changes of the live filesystem and the zombie file space recorded in the persistent memory.



59. (Previously presented) The storage server of claim 54, wherein the request to delete at least a portion of a file stored in the live filesystem comprises a request to delete the file from the live filesystem or to truncate the file.

60. (Previously presented) The storage server of claim 54, wherein deleting a block from the zombie filesystem comprises returning the block as a free block to the file system.

61. (Previously presented) The storage server of claim 54, wherein the process further comprises increasing the size of the zombie filesystem before moving the blocks.